

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 1/2
Analytical Report Nr.	AR-19-VN-041903-06-EN / 856-2019-00033365			

(*this report cancels and replaces the previous one, numbered AR-19-VN-041903-05/856-2019-00033365 dated 23/04/2019 which must be destroyed)


TEREOS LILLERS

For the attention of **Madame Christine MEURILLON**
 100, RUE DE VERDUN
 BP 89
 62193 LILLERS
 FRANCE
Fax 03 21 64 71 78
Email cmeurillon@tereos.com

Our reference :	856-2019-00033365 / AR-19-VN-041903-06-EN	Type :	EX
Client reference :	sucre n° 2 600 hf		
Sample described as :	camp 2018 silo 6		
Your purchase order date :	15/02/2019	Your purchase order reference :	4700822906
Sample reception date :	01/03/2019 10:28	Analysis starting date :	01/03/2019
Analyses requested :	AAR: PESTICIDE - AVANT STOKAGE SILO - EMC		
Order	EMC silo 6 camp bett 18 4700822906 - EOL 10518-826397	Reception temperature	20

Metrology	Results (uncertainty)	Guidelines
VN032 VN Filtrability - Colmatage (Sartorius) Method : SNFS 2-21		
(a) Filtrability coefficient (cF.45)	290 (± 20) ml	
(a) Colmatage coefficient	1.21 (± 0.10)	
VN215 VN Floc testing ICUMSA (10 days) Method : ICUMSA GS 2/3-40		
Floc testing	Pas de floc/No floc	
VN024 VN Floc testing Coca-Cola Method : SM-PR-270		
Floc testing Coca Cola	Pas de floc/No floc	
VN029 VN Impurity detection -Black points Method : SNFS 2.17		
(a) Impurity detection - Black point	0.5 (± 0.5)	
VN030 VN Impurity detection -White points Method : SNFS 2.17		
(a) Impurity detection -White points	0.5 (± 0.5)	


Compositional analyses	Results (uncertainty)	Guidelines
VN403 VN Instrumental colour (points) Method : Expressed from SNFS 2.1		
(a) Aspect point number	1.7 (± 0.3) points	<= 4 pour sucre blanc raffiné n°1 (Dir 2001/111/) ou <= 9 pour sucre blanc n°2 (Dir 2001/111/CE)
VN398 VN Instrumental aspect of white sugar Method : ICUMSA GS2-13		
(a) Visual aspect	0.9 (± 0.1)	
VN288 VN Colour in solution (ICUMSA) Method : ICUMSA GS 2/3-10		
(a) Color	21 (± 2) I.U.	
VN064 VN Coloration Method : Expressed from SNFS 2.1		
(a) Colour	2.8 (± 0.2) points	<= 3 pour sucre blanc raffiné n°1 (Dir 2001/111/) ou <= 6 pour sucre blanc n°2 (Dir 2001/111/CE)
VN207 VN Ashes (ICUMSA) Method : ICUMSA GS 2/3-17		
(a) Ash	16.20 µs/cm	
(a) Ash content	0.010 (± 0.001) g/100 g	
VN204 VN Ash Method : Expressed from SNFS 2.1		
(a) Ash point number	5.4 (± 0.5) points	<= 6 pour sucre blanc raffiné n°1 (Dir 2001/111/) ou <= 15 pour sucre blanc n°2 (Règl CE n°318/2006)
VN404 VN Total European points (Incl instrumental appearanc Method : calculation, Calculation		

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 2/2
Analytical Report Nr.	AR-19-VN-041903-06-EN / 856-2019-00033365			

Compositional analyses		Results (uncertainty)	Guidelines
VN404	VN Total European points (Incl instrumental appearanc	Method : calculation, Calculation	
(a)	Total European points	9.9 (± 1.0) EEC Points	≤ 8 pour sucre blanc raffiné n° 1 (Dir 2001/111/CE) ou ≤ 22 pour sucre blanc n° 2 (Règl CE n° 318/2006) points
VN206	VN Turbidity	Method : Expressed from SNFS 2.19	
(a)	Turbidity	0.6 (± 0.3) points	
VN212	VN Insolubles 8µm (ICUMSA)	Method : ICUMSA GS 2/3/9-19	
(a)	Sediments	<5 mg/kg	
(a)	Mass of test portion	507 g	
VN210	VN White sugar polarization (ICUMSA)	Method : ICUMSA GS2/3-1	
(a)	Polarisation	99.95 (± 0.06) °Z	≥ 99.7 (Dir 2001/111/CE)
VN021	VN Reducing sugars (Knight and Allen method)	Method : ICUMSA GS 2/3/9-5	
(a)	Reducing sugar	<0.002 g/100 g	≤ 0.04 (Dir 2001/111/CE)
VN050	VN Moisture by loss on drying	Method : ICUMSA GS2/1/3/9-15	
(a)	Moisture	0.018 (± 0.005) g/100 g	
VN051	VN pH 50 Brix solution	Method : ICUMSA GS 1/2/3/4/7/8/9-23	
	pH-value	6.73	
VN334	VN Formaldehyd by colorimetric method	Method : ICUMSA GS2/36	
	Formaldehyde	<1 mg/kg	
VN213	VN Sulfurdioxide (ICUMSA)	Method : ICUMSA GS 2/3-35	
(a)	Sulphite SO ₂	<0.5 mg/kg	

Contaminants		Results (uncertainty)	Guidelines
JCRCI	JC Radioactivity (Cs-134/137, I-131)	Method : Internal, Gamma spectrometry	
(a)	Reference date for activities	04 Mrz 2019	
(a)	Activity in Cesium 134	<10 Bq/kg	
(a)	Activity in Cesium 137	<10 Bq/kg	
(a)	Activity in Iodine 131	<10 Bq/kg	

SIGNATURE



Florent Debruyne
Analytical Service Manager

Report electronically validated by Florent Debruyne

EXPLANATORY NOTE

This document can only be reproduced in full ; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications. The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The tests are identified by a five-digit code, their description is available on request.

The tests identified by the two letters code VN are performed in laboratory Eurofins Laboratoire Nord (Douai). The symbol (a) identifies the tests under accreditation NF EN ISO/CEI 17025:2005 COFRAC 1-2241. Scope available on www.cofrac.fr.

The tests identified by the two letters code JC are performed in laboratory Eurofins WEJ Contaminants GmbH (Hamburg). The symbol (a) identifies the tests under accreditation EN ISO/IEC 17025:2005 DAKKS D-PL-14602-01-00.



Report N°: AR-19-VN-036927-01

TEREOS LILLERS
100, RUE DE VERDUN
BP 89
62193 LILLERS

Client code : LL13003

Analyse managed in Douai

Received in the laboratory on 01/03/2019

Analysed on 04/03/2019

Sample code Nr. 856-2019-00033366 : sucre n° 2 600 hf - CAMP 2018 SILO 6

Sucre blanc cristallisé / White crystallised sugar

Order :

EMC silo 6 camp bett 18 4700822906 -
EOL 10518-826397

Parameters	Method	Results	Europeans Criteria	Customer Criteria
			Regl. 2073/2005 modified	
Lactic acid bacteria 30°C /10 g	SM-PR-684 (03 dec 2010)	< 1		
(§) Total coliforms /g	Méthode interne adaptée de NF V08-050	< 1		
(§) β-glucuronidase-positive Escherichia coli /g	Méthode interne adaptée de NF ISO 16649-2	< 1		
(a) Enterobacteriaceae /g	NF V08-054	< 1		
Staphylococci (coag. positive) /g	Méthode interne adaptée de NF EN ISO 6888-2	< 1		
(π) Anaerobic sulfite reducing spores /g	Méthode interne adaptée de NF V 08-061 boites	< 10		
Osmophilic yeast /g	Méthode interne adaptée de NF V08-036	< 1		
Osmophilic moulds /g	Méthode interne adaptée de NF V08-036	< 1		
Thermophilic Aerobic Plate Count /10 g	IRIS V11	< 5		
Pseudomonas 25 °C /10 g	Méthode interne	< 1		
(a) Thermophilic Aerobic Spore-forming Count 55°C /10 g	ICUMSA GS 2/3-49	4		
Mesophilic Plate Count /10 g	IRIS V11	< 5		
Thermophilic Flat Sour /10 g	IRIS V11	< 5		
Presumptive Bacillus cereus /g	Méthode interne adaptée de BKR 23/06-02/10	< 1		
Thermo Anaerob. Hydrogen Sulfide Prod. Bacteria /10 g	IRIS V11	< 3		
Mesophilic Plate Count /10 g	Méthode interne client	< 2		
Total Aerobic Mould Count /10 g	Méthode interne client	< 1		
Total Aerobic Yeast Count /10 g	Méthode interne client	< 1		
Thermophilic Anaerobic Gaz Producing Bacteria /6 tubes	IRIS V11	< 1		
LN UM3SZ : Salmonella /750 g	BRD 07/11-12/05	Absence		

Douai, the 11/03/2019

Céline Delabre

Responsable de laboratoire

EXPLANATORY NOTE

COFRAC accreditation refers only to the tests within the scope of accreditation, identified by the (a) symbol.

The tests identified by the two letters code LN are performed in laboratory Eurofins Microbiologie Ouest.

For the parameters marked by the sign §, the analysis has been performed on one single dilution

For the parameters marked by the sign π, the analysis has been calculation performed on one single dilution and on one plate

This analytical report refers only to the tested sample. If copied, this report must be reproduced in full. It contains 2 page(s).

Page 2/2

Eurofins Laboratoire Nord

Rue Maurice Caullery
ZI Douai Dorignies
F-59500 Douai

T +33 3 27 86 95 60
F +33 3 27 87 24 67

S.A.S. au capital de 510 000 €
RCS DOUAI 523 428 134
SIRET 523 428 134 000 28 - APE 7120 B

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 1/2
Analytical Report Nr.	AR-19-VN-041903-05-EN / 856-2019-00033365			

(*this report cancels and replaces the previous one, numbered AR-19-VN-041903-04/856-2019-00033365 dated 23/04/2019 which must be destroyed)


TEREOS LILLERS

 For the attention of **Madame Christine MEURILLON**

100, RUE DE VERDUN

BP 89

62193 LILLERS

FRANCE

Fax 03 21 64 71 78

Email cmeurillon@tereos.com

Our reference :	856-2019-00033365 / AR-19-VN-041903-05-EN	Type :	EX
Client reference :	sucre n° 2 600 hf		
Sample described as :	camp 2018 silo 6		
Your purchase order date :	15/02/2019	Your purchase order reference :	4700822906
Sample reception date :	01/03/2019 10:28	Analysis starting date :	01/03/2019
Analyses requested :	AAE: ANALYSE PHYSICO-CHIMIQUE - AVANT STOKAGE SILO - EMC		

Order	EMC silo 6 camp bett 18 4700822906 - EOL 10518-826397	Reception temperature	20
--------------	--	------------------------------	----

Elementary analysis	Results (uncertainty)
---------------------	-----------------------

J8308 JC Cadmium (ICP-MS, food) Method : DIN EN 15763:2010 (2010-04), mod.	
(a) Cadmium (Cd)	<0.01 mg/kg
JCHG2 JC Mercury (ICP-MS, food) Method : DIN EN 15763:2010 (2010-04), mod.	
(a) Mercury (Hg)	<0.005 mg/kg
J1057 JC Tin (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Tin (Sn)	<0.5 mg/kg
JCHRA JC Lead (ICP-MS/MS) / ultra low LOQ Method : DIN EN 15763:2010 (2010-04), mod.	
(a) Lead (Pb)	1.0 (± 1) µg/kg
JCHRD JC Arsenic (ICP-MS/MS) / ultra low LOQ Method : DIN EN 15763:2010 (2010-04), mod.	
(a) Arsenic (As)	<1 µg/kg
J1045 JC Potassium (ICP-OES, food/feed) Method : DIN EN ISO 11885, mod.	
(a) Kalium [K]	31 (± 7) mg/kg
J1038 JC Calcium (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Calcium (Ca)	<2 mg/kg
J1050 JC Phosphorus (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Phosphorus (P)	<3 mg/kg
JJ0CT JC Aluminium (ICP-MS, food) Method : DIN EN ISO 17294-2 (2017-01), mod.	
(a) Aluminium	<0.5 mg/kg
JJ0CG JC Chromium (ICP-MS, food) Method : DIN EN ISO 17294-2 (2017-01), mod.	
(a) Chromium (Cr)	<0.05 mg/kg
JJ0CK JC Cobalt (ICP-MS, food) Method : DIN EN ISO 17294-2 (2017-01), mod.	
(a) Cobalt (Co)	<0.1 mg/kg
J1042 JC Copper (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Copper (Cu)	<0.1 mg/kg
J8316 JC Iodine (ICP-MS, food) Method : DIN EN 15111 (2007-06), mod.	
(a) Iodine	<0.2 mg/kg
J1043 JC Iron (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Iron (Fe)	<0.5 mg/kg
J1046 JC Magnesium (ICP-OES, food) Method : DIN EN ISO 11885, mod.	

Laboratoire Nord (Douai)

Rue Maurice Caullery

ZI Douai Dorigines

F-59500 Douai

FRANCE

Phone +33 3 27 86 95 60

Fax +33 3 27 87 24 67

ServiceClientELN@eurofins.com

www.eurofins.fr

S.A.S. au capital de 510 000 €


RCS DOUAI 523 428 134

SIRET 523 428 134 000 28 - APE 7120 B

TVA FR11 523428134

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 2/2
Analytical Report Nr.	AR-19-VN-041903-05-EN / 856-2019-00033365			

Elementary analysis	Results (uncertainty)
J1046 JC Magnesium (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Magnesium (Mg)	<0.5 mg/kg
J1049 JC Nickel (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Nickel (Ni)	<0.1 mg/kg
J8320 JC Selenium (ICP-MS, food) Method : DIN EN ISO 17294-2 (2017-01), mod.	
(a) Selenium (Se)	<0.2 mg/kg
J1048 JC Sodium (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Sodium (Na)	7.0 (± 3) mg/kg
J1061 JC Zinc (ICP-OES, food) Method : DIN EN ISO 11885, mod.	
(a) Zinc (Zn)	<0.5 mg/kg
JCHRP JC Vanadium (ICP-MS/MS) / ultra low LOQ Method : DIN EN ISO 17294-2 (2017-01), mod.	
(a) Vanadium (V)	<1 µg/kg

SIGNATURE


Florent Debruyne
Analytical Service Manager

Report electronically validated by Florent Debruyne

EXPLANATORY NOTE

This document can only be reproduced in full ; it only concerns the submitted sample.
 Results have been obtained and reported in accordance with our general sales conditions available on request.
 When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications. The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.
 The tests are identified by a five-digit code, their description is available on request.

The tests identified by the two letters code JC are performed in laboratory Eurofins WEJ Contaminants GmbH (Hamburg). The symbol (a) identifies the tests under accreditation EN ISO/IEC 17025:2005 DAKKS D-PL-14602-01-00.

Echantillon n°	856-2019-00033365	Date	23/04/2019	Page 7/7
Rapport d'analyse n°	AR-19-VN-041903-07-FR / 856-2019-00033365			

NOTE EXPLICATIVE

Ce document ne concerne que l'objet soumis à l'essai ; sa reproduction n'est autorisée que sous sa forme intégrale.

Les essais et rapports sont réalisés conformément à nos conditions générales de vente disponibles sur demande.

Pour déclarer ou non la conformité, l'incertitude associée au résultat a été ajoutée ou retranchée de façon à obtenir sans conteste un résultat opposable aux spécifications ou à la réglementation. Elle n'a pas été prise en compte dans le cadre des référentiels qui intègrent déjà les incertitudes de mesures ou sur demande explicite du client.

Les essais sont identifiés par un code de 5 caractères dont la description précise est disponible sur demande.

Les essais identifiés par le code à 2 lettres ZP ont été réalisés par le laboratoire Eurofins Dr. Specht Laboratorien 11 (Hamburg). Le symbole (a) identifie les prestations couvertes par l'accréditation DIN EN ISO/IEC 17025:2005 D-PL-14198-01-00.

Les essais identifiés par le code à 2 lettres SF ont été réalisés par le laboratoire Eurofins SOFIA Berlin (Rudower Chaussee). Le symbole (a) identifie les prestations couvertes par l'accréditation DIN EN ISO/IEC 17025:2005 DAKKS D-PL-19579-02-00.

The tests identified by the two letters code XP are performed in laboratory Eurofins Dr. Specht Laboratorien 10 (Hamburg).

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 1/7
Analytical Report Nr.	AR-19-VN-041903-07-EN / 856-2019-00033365			

(*this report cancels and replaces the previous one, numbered AR-19-VN-041903-06/856-2019-00033365 dated 23/04/2019 which must be destroyed)


TEREOS LILLERS

 For the attention of **Madame Christine MEURILLON**

 100, RUE DE VERDUN
 BP 89
 62193 LILLERS
 FRANCE

Fax 03 21 64 71 78

Email cmeurillon@tereos.com

Our reference :	856-2019-00033365 / AR-19-VN-041903-07-EN	Type :	EX
Client reference :	sucre n° 2 600 hf		
Sample described as :	camp 2018 silo 6		
Your purchase order date :	15/02/2019	Your purchase order reference :	4700822906
Sample reception date :	01/03/2019 10:28	Analysis starting date :	01/03/2019
Analyses requested :	AAB: ANALYSE PEPSICO - CHIMIE - AVANT STOCKAGE SILO - Echantillon instantané AAE: ANALYSE PHYSICO-CHIMIQUE - AVANT STOCKAGE SILO - EMC AAF: METAUX/MINERAUX - AVANT STOCKAGE SILO - EMC AAR: PESTICIDE - AVANT STOCKAGE SILO - EMC AAS: AMMONIUM QUATERNAIRE - AVANT STOCKAGE SILO - EMC XP001: Extraction "QuEChERS" J1049: Nickel (Ni) J1061: Zinc (Zn) JCHG2: Mercure (Hg) - ICP-MS JJ0CK: Cobalt (ICP-MS, aliments) SPP01: Extraction DFG S19 d'aliments frais/secs JCHRA: Plomb (Pb) - HR-ICP-MS, LOQ basse) JCHRD: Arsenic (As) - HR-ICP-MS, LOQ basse		

Order	EMC silo 6 camp bett 18	Reception temperature	20
	4700822906 - EOL 10518-826397		

Pesticides	Results
S1003 ZP ETU/PTU Method : Internal Method, P-14.065-5, LC-MS/MS	
(a) Screened pesticides	<LOQ
SF00B SF Glyphosate, Glufosinate, AMPA in food Method : Internal Method, LC-MS/MS	
(a) Screened pesticides	<LOQ
SF160 SF dithiocarbamates in sugar Method : § 64 LFGB L 00.00-49/2 : 1999-11	
(a) Dithiocarbamates (as CS2)	<0.001 mg/kg
SF8TR SF Cycloxydim / SF0XD Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Cycloxydim	<0.01 mg/kg
SFS0A SF metaldehyde in food Method : Internal Method, HS-GC-MS	
(a) Metaldehyde	<0.05 mg/kg
SP001 ZP OUG-OC Method : ASU L 00.00-34:2010-09	
Screened pesticides	<LOQ
SP004 ZP OUG-OP Method : ASU L 00.00-34:2010-09	
Screened pesticides	<LOQ
SP085 ZP LC-OP Method : ASU L 00.00-34:2010-09	
Screened pesticides	<LOQ
AS404 ZP Fipronil (Baby Food) Method : ASU L 00.00-34:2010-09	
(a) Fipronil (sum)	--- mg/kg
(a) Other screened pesticides	<LOQ
SPGP6 ZP BFD-Phenoxy Method : Internal Method P-14.098-4, GC-MS	
Screened pesticides	<LOQ

Laboratoire Nord (Douai)

Rue Maurice Caullery

ZI Douai Dorigny

F-59500 Douai

FRANCE

Phone +33 3 27 86 95 60

Fax +33 3 27 87 24 67

ServiceClientELN@eurofins.com

www.eurofins.fr

S.A.S. au capital de 510 000 €

RCS DOUAI 523 428 134

SIRET 523 428 134 000 28 - APE 7120 B

TVA FR11 523428134

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 2/7
Analytical Report Nr.	AR-19-VN-041903-07-EN / 856-2019-00033365			

Pesticides	Results
SPGT1 ZP BFD-Zinn Method : Internal Method P-14.089-5, GC-MS	
(a) Cyhexatin/Azocyclotin (Sum)	--- mg/kg
(a) Other screened pesticides	<LOQ
SPSS1 ZP Pesticide Sulphur Method : ASU L 00.00-34:2010-09	
(a) Sulphur (S)	< 0.02 mg/kg
SFT8V SF Hymexazol in food Method : Internal Method, GC-MS	
(a) Hymexazol	<0.05 mg/kg
SP931 XP OUG-QuLC-MS/MS Method : DIN EN 15662:2009-02, mod.	
Screened pesticides	<LOQ
SFZA0 SF pesticide screening using GC/MS for sugar Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Screened pesticides	<LOQ
SFZD0 SF Pesticide screening using LC/MS/MS in sugar Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Screened pesticides	<LOQ
SF2Y2 SF Metolachlor / SFLD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Metolachlor	<0.005 mg/kg
SF2ZM SF Clomazone / SFLD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Clomazone	<0.005 mg/kg
SF34B SF Methoxyfenozide / SFLD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Methoxyfenozide	<0.005 mg/kg
SF3A0 SF Diclofop-methyl / SFLA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Diclofop-methyl	<0.02 mg/kg
SF4TR SF Quizalofop / SFLC0 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Quizalofop	<0.01 mg/kg
SF6IQ SF Cypermethrin / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Cypermethrin	<0.001 mg/kg
SF6IR SF Deltamethrin / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Deltamethrin	<0.001 mg/kg
SF6IW SF Iprodione / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Iprodione	<0.001 mg/kg
SF6J2 SF Triallate / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Triallate	<0.001 mg/kg
SF6J7 SF Tefluthrin / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Tefluthrin	<0.001 mg/kg
SF6J8 SF Cyhalothrin, lambda-(incl. Cyhalothrin, ga / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	<0.001 mg/kg
SF6JI SF Quinoxifen / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Quinoxifen	<0.001 mg/kg
SF6JN SF Azoxystrobin / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Azoxystrobin	<0.001 mg/kg
SF6JZ SF Chloridazone / SFZA0 Method : § 64 LFGB L 00.00-34 : 2010-09, mod.	
(a) Chloridazone	<0.001 mg/kg
SF6L3 SF Pirimicarb / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Pirimicarb	<0.001 mg/kg
SF6L1 SF Metolachlor / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Metolachlor	<0.001 mg/kg
SF6L4 SF Propiconazole / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Propiconazole	<0.001 mg/kg
SF6KY SF Lenacil / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Lenacil	<0.001 mg/kg

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 3/7
Analytical Report Nr.	AR-19-VN-041903-07-EN / 856-2019-00033365			

Pesticides	Results
SF6LF SF Phenmedipham / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Phenmedipham	<0.001 mg/kg
SF6L8 SF Fenpropimorph / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Fenpropimorph	<0.001 mg/kg
SF6KD SF Thiacloprid / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Thiacloprid	<0.001 mg/kg
SF6KR SF Difenconazole / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Difenconazole	<0.001 mg/kg
SF6KQ SF Cyproconazole / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Cyproconazole	<0.001 mg/kg
SF6KG SF Pyraclostrobin / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Pyraclostrobin	<0.001 mg/kg
SF6KF SF Triflurosulfuron-methyl / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Triflurosulfuron-methyl	<0.001 mg/kg
SF6KJ SF Quizalofop ethyl / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Quizalofop ethyl	<0.001 mg/kg
SF6KI SF Fenpropidin / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Fenpropidin	<0.001 mg/kg
SF6LZ SF Metamitron / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Metamitron	<0.001 mg/kg
SF6M2 SF Ethofumesate / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Ethofumesate	<0.001 mg/kg
SF6LQ SF Flutriafol / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Flutriafol	<0.001 mg/kg
SF6LR SF Imidacloprid / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Imidacloprid	<0.001 mg/kg
SF6LU SF Tetraconazole / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Tetraconazole	<0.001 mg/kg
SF6LT SF Dimethenamid / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Dimethenamid	<0.001 mg/kg
SF6LS SF Epoxiconazole / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Epoxiconazole	<0.001 mg/kg
SF6MA SF Methiocarb / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Methiocarb	<0.001 mg/kg
SF6MD SF Thiamethoxam / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Thiamethoxam	<0.001 mg/kg
SF6MF SF Desmedipham / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Desmedipham	<0.001 mg/kg
SF6ME SF Clethodim / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Clethodim	<0.001 mg/kg
SF6M9 SF Fluazifop-P-butyl / SFZD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Fluazifop-P-butyl	<0.001 mg/kg
SF7BF SF Haloxyfop-P / SF161 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Haloxyfop-P	<0.001 mg/kg
SF7BI SF Quinmerac / SF161 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Quinmerac	<0.001 mg/kg
SF7BL SF Clopyralid / SF161 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Clopyralid	<0.001 mg/kg
SFCRE SF Pyrethrins / SFLD0 Method : § 64 LFGB L 00.00-113 : 2015-03	

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019
Analytical Report Nr.	AR-19-VN-041903-07-EN / 856-2019-00033365	Page 4/7	

Pesticides	Results
SFCRE SF Pyrethrins / SFLD0 Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Pyrethrins	<0.5 mg/kg
SFF02 SF Fentin in dry and aqueous food Method : § 64 LFGB L 00.00-113 : 2015-03	
(a) Fentin (incl. its Salts, expr. as Triphenyltin-cat	<0.003 mg/kg
SFCFC SF Prothioconazole / SF9R8 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Prothioconazole	<0.01 mg/kg
SFCFA SF Propaquizafop / SF9R8 Method : § 64 LFGB L 00.00-113 : 2015-03, mod.	
(a) Propaquizafop	<0.01 mg/kg

List of screened molecules and not detected (* = limit of quantification)

AS404 ZP Fipronil (Baby Food) (LOQ* mg/kg)					
Fipronil (0.003)	(a) Fipronil (0.003)	Fipronil, desulfinyl- (0.003)	(a) Fipronil, desulfinyl- (0.003)	Fipronil-sulfide (0.003)	(a) Fipronil-sulfide (0.003)
Fipronil-sulfone (0.01)	(a) Fipronil-sulfone (0.01)				
S1003 ZP ETU/PTU (LOQ* mg/kg)					
Ethylene thiourea (ETU) (0.003)	(a) Ethylene thiourea (ETU) (0.003)	PTU (Propylene Thiourea) (0.003)	(a) PTU (Propylene Thiourea) (0.003)		
SF00B SF Glyphosate, Glufosinate, AMPA in food (LOQ* mg/kg)					
(a) Aminomethylphosphonic acid (AMPA) (0.01)	(a) Glufosinate (0.01)	(a) Glyphosate (0.01)			
SFZA0 SF pesticide screening using GC/MS for sugar (LOQ* mg/kg)					
(a) Acetochlor (0.001)	(a) Aldrin (0.001)	(a) Azinphos-methyl (0.001)	(a) Azoxystrobin (0.001)	(a) Bifenthrin (0.001)	(a) Cadusaphos (0.001)
(a) Chloridazone (0.001)	(a) Chlorothalonil (0.001)	(a) Chlorpyrifos (-ethyl) (0.001)	(a) Chlorpyrifos-methyl (0.001)	(a) Cyfluthrin (0.01)	(a) Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.001)
(a) Cypermethrin (0.001)	(a) Deltamethrin (0.001)	(a) Diazinon (0.001)	(a) Dieldrin (0.001)	(a) Dimethoate (0.001)	(a) Endosulfan sulphate (0.001)
(a) Endosulfan, alpha- (0.001)	(a) Endosulfan, beta- (0.001)	(a) Endrin (0.001)	(a) Epoxiconazole (0.001)	(a) Ethoprophos (0.001)	(a) Fensulfiothion (0.001)
(a) Fenvalerate (RR-/SS-Isomers) (0.001)	(a) Fenvalerate (RS-/SR-Isomers) (0.001)	(a) Fipronil (0.001)	(a) Fipronil, desulfinyl- (0.001)	(a) Fipronil-sulfide (0.001)	(a) Fipronil-sulfone (0.001)
(a) Heptachlor (0.001)	(a) Heptachlor epoxide, cis- (0.001)	(a) Heptachlor epoxide, trans- (0.001)	(a) Hexachlorobenzene (HCB) (0.001)	(a) Iprodione (0.001)	(a) Kresoxim-methyl (0.001)
(a) Lindane (gamma-HCH) (0.001)	(a) Methidathion (0.001)	(a) Nitrofen (0.001)	(a) Oxyfluorfen (0.001)	(a) Parathion-methyl (0.001)	(a) Permethrin (0.001)
(a) propisochlor (0.005)	(a) Quinoxifen (0.001)	(a) Quintozene (0.001)	(a) Tefluthrin (0.001)	(a) Terbufos (0.001)	(a) Triallate (0.001)
(a) Trifloxystrobin (0.001)					
SFZD0 SF Pesticide screening using LC/MS/MS in sugar (LOQ* mg/kg)					
(a) 3-Hydroxycarbofuran (0.001)	(a) Aldicarb (0.001)	(a) Aldicarb-sulfone (0.001)	(a) Aldicarb-sulfoxide (0.001)	(a) Asulam (0.001)	(a) Atrazine (0.001)
(a) Bendiocarb (0.001)	(a) Benfuracarb (0.001)	(a) Benomyl (0.001)	(a) Bitteranol (0.001)	(a) Carbendazim (0.001)	(a) Carbofuran (0.001)
(a) Carbosulfan (0.001)	(a) Cloethodim (0.001)	(a) Clothianidin (0.001)	(a) Cyproconazole (0.001)	(a) Demeton (0.001)	(a) Demeton-S-methyl (0.001)
(a) Demeton-S-methyl-sulfone (0.001)	(a) Desmedipham (0.001)	(a) Difenoconazole (0.001)	(a) Dimethenamid (0.001)	(a) Dimethoate (0.001)	(a) Disulfoton (0.001)
(a) Disulfoton-sulfon (0.001)	(a) Disulfoton-sulfoxide (0.001)	(a) Diuron (0.001)	(a) Epoxiconazole (0.001)	(a) Ethofumesate (0.001)	(a) Fenpropidin (0.001)
(a) Fenpropimorph (0.001)	(a) Fensulfiothion (0.001)	(a) Fensulfiothion-oxon-sulfone (0.001)	(a) Fensulfiothion-oxon-sulfoxide (0.001)	(a) Fensulfiothion-sulfone (0.001)	(a) Fluzilfop-P-butyl (0.001)
(a) Flusilazole (0.005)	(a) Flutriafol (0.001)	(a) Hexazinone (0.001)	(a) Imidacloprid (0.001)	(a) Lenacil (0.001)	(a) Metalaxyl (0.001)
(a) Metamitron (0.001)	(a) Methamidophos (0.001)	(a) Methiocarb (0.001)	(a) Methiocarb-sulfone (0.001)	(a) Methiocarb-sulfoxide (0.001)	(a) Metolachlor (0.001)
(a) Metsulfuron-methyl (0.001)	(a) Omethoate (0.001)	(a) Oxydemeton-methyl (0.001)	(a) Phenmedipham (0.001)	(a) Phorate (0.001)	(a) Phorate-sulfone (0.001)
(a) Phorate-sulfoxide (0.001)	(a) Pirimicarb (0.001)	(a) Pirimicarb, desmethyl- (0.001)	(a) Pyrimicarb, desmethyl-formamido- (0.001)	(a) Prochloraz (0.001)	(a) Propiconazole (0.001)
(a) Pyraclostrobin (0.001)	(a) Pyrimidifen (0.001)	(a) Quizalofop ethyl (0.001)	(a) Tebufenozide (0.001)	(a) Tepraloxym (0.001)	(a) Terbutylazine (0.001)
(a) Tetraconazole (0.001)	(a) Thiacloprid (0.001)	(a) Thiamethoxam (0.001)	(a) Thiophanate-methyl (0.001)	(a) Triadimefon (0.001)	(a) Triadimenol (0.001)
(a) Triazophos (0.001)	(a) Trichlorfon (0.001)	(a) Triflusaluron-methyl (0.001)			
SP001 ZP OUG-OC (LOQ* mg/kg)					
Acionifen (0.01)	Acrinathrin (0.01)	Aldrin (0.001)	Benfluralin (0.001)	Benzoylprop-ethyl (0.005)	Bifenox (0.01)
Bifenthrin (0.01)	Binapacryl (0.005)	Bromocyclen (0.005)	Bromoxynil-octanoate (0.005)	Butralin (0.01)	Chlordane, cis- (0.001)
Chlordane, oxy- (0.001)	Chlordane, trans- (0.001)	Chlorfenapyr (0.005)	Chlorfenprop-methyl (0.005)	Chlorfenson (0.005)	Chloroneb (0.01)
Chlorothalonil (0.005)	Chlorthal-dimethyl (0.001)	Cyfluthrin (0.01)	Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.005)	Cypermethrin (0.01)	Cypermethrin, alpha- (0.01)
Cyphenothrin (0.01)	DDD, o,p- (0.002)	DDD, p,p'- (0.002)	DDE, o,p- (0.002)	DDE, p,p'- (0.001)	DDT, o,p'- (0.001)
DDT, p,p'- (0.002)	Deltamethrin (0.01)	Diallate (0.05)	Dibromobenzophenone, p,p- (0.005)	Dichlobenil (0.002)	Dichlone (0.01)
Dichlorobenzophenone, o,p- (0.005)	Dichlorobenzophenone, p,p- (0.005)	Dicloran (0.001)	Dicofol, o,p- (0.005)	Dicofol, p,p- (0.005)	Dieldrin (0.001)
Dienochlor (0.005)	Dinitramine (0.002)	Dinobuton (0.005)	Dinocap (0.05)	Endosulfan sulphate (0.002)	Endosulfan, alpha- (0.001)
Endosulfan, beta- (0.001)	Endrin (0.002)	Endrin ketone (0.005)	Esfenvalerate (0.005)	Ethalfuralin (0.002)	Etridiazole (0.005)
Fenfluthrin (0.005)	Fenproprathrin (0.005)	Fenson (0.005)	Fenvalerate (RR-/SS-Isomers) (0.005)	Fenvalerate (RS-/SR-Isomers) (0.005)	Flubenzimine (0.002)
Fluchloralin (0.002)	Flucythrinate (0.01)	Flumetralin (0.002)	Fluorodifen (0.005)	Fluoroimide (0.01)	Genite (0.005)
Halifenpro (0.01)	HCH, alpha- (0.001)	HCH, beta- (0.002)	HCH, delta- (0.002)	HCH, epsilon- (0.002)	Heptachlor (0.001)
Heptachlor epoxide, cis- (0.001)	Heptachlor epoxide, trans- (0.001)	Hexachlorobenzene (HCB) (0.001)	Ioxynil-octanoate (0.005)	Isobenzan (0.001)	Isodrin (0.001)
Isopropalin (0.002)	Lindane (gamma-HCH) (0.001)	Methoxychlor (0.005)	Mirex (0.001)	Nitrapyrin (0.005)	Nitrofen (0.002)
Nonachlor, cis- (0.001)	Nonachlor, trans- (0.002)	Octachlorstyrene (0.005)	Oxyfluorfen (0.002)	Pendimethalin (0.002)	Pentachloranisole (0.001)
Pentachloroaniline (0.001)	Pentachlorobenzene (0.002)	Pentachlorothioanisole (0.002)	Permethrin (0.01)	Plifenate (0.005)	Polychloroterpene (Campechlor) (0.04)
Profluralin (0.001)	Quintozene (0.001)	S 421 (0.005)	tau-Fluvalinate (0.01)	Tecnazene (0.001)	Tefluthrin (0.005)
Tetradifon (0.002)	Tetrasul (0.005)	Tralomethrin (0.01)	Transfluthrin (0.005)	Triallate (0.005)	Trichloronat (0.002)

Sample code Nr.

856-2019-00033365

Report Date 23/04/2019

Page 5/7

Analytical Report Nr.

AR-19-VN-041903-07-EN / 856-2019-00033365

SP001	ZP	OUG-OC (LOQ* mg/kg)			
Trifluralin (0.001)					
SP004	ZP	OUG-OP (LOQ* mg/kg)			
Acephate (0.01)	Amidithion (0.01)	Aspon (0.01)	Athidathion (0.01)	Azamethiphos (0.02)	Azinphos-ethyl (0.02)
Azinphos-methyl (0.03)	Bomyl (0.01)	Bromfenvinphos (0.01)	Bromophos-ethyl (0.01)	Bromophos-methyl (0.01)	Butamifos (0.01)
Cadusaphos (0.01)	Carbophenothion (0.01)	Carbophenothion-methyl (0.01)	Chlorfenvinphos (0.01)	Chlormephos (0.01)	Chlorpyrifos (-ethyl) (0.01)
Chlorpyrifos-methyl (0.01)	Chlorthion (0.01)	Chlorthiophos (0.01)	Coumaphos (0.03)	Crotoxiphos (0.02)	Cruformate (0.01)
Cyanofenphos (0.02)	Cyanophos (0.01)	Demeton-S-methyl (0.01)	Demeton-S-methyl-sulfone (0.01)	Demeton-S-sulfone (0.02)	Dialifos (0.05)
Diazinon (0.01)	Dicaphon (0.01)	Dichlofenthion (0.01)	Dichlorvos (0.01)	Dicrotophos (0.01)	Dimexox (0.01)
Dimethoate (0.01)	Dimethylvinphos (0.01)	Dioxabenzofos (0.01)	Dioxathion (0.01)	Disulfoton (0.01)	Disulfoton-sulfon (0.01)
Disulfoton-sulfoxide (0.02)	Ditalimfos (0.01)	Edifenfos (0.02)	EPN (0.02)	Ethion (0.01)	Ethoprophos (0.01)
Etrimefos (0.01)	Etrimefos-oxon (0.01)	Famophos (0.02)	Fenamiphos (0.01)	Fenamiphos-sulfone (0.02)	Fenamiphos-sulfoxide (0.02)
Fenchlorphos (0.01)	Fenitrothion (0.01)	Fensulfothion (0.01)	Fensulfothion-oxon-sulfone (0.03)	Fensulfothion-oxon-sulfoxide (0.02)	Fensulfothion-sulfone (0.02)
Fenthion (0.01)	Fenthion-oxon-sulfone (0.02)	Fenthion-oxon-sulfoxide (0.01)	Fenthion-sulfone (0.02)	Fenthion-sulfoxide (0.01)	Fonofos (0.01)
Formothion (0.01)	Fostiazate (0.01)	Fosthietan (0.01)	Heptenphos (0.01)	Hexythiophos (0.02)	Iodofenphos (0.01)
Iprobenfos (0.01)	Isazophos (0.01)	Isocarbofos (0.01)	Isofenphos (0.01)	Isofenphos-methyl (0.01)	Isoxathion (0.02)
Leptophos (0.02)	Malaaxon (0.01)	Malathion (0.01)	Mecarbam (0.01)	Mephosfolan (0.01)	Merphos (0.01)
Methacriphos (0.01)	Methamidophos (0.01)	Methidathion (0.01)	Mevinphos (0.01)	Monocrotophos (0.01)	Morphothion (0.02)
Naled (0.01)	N-Desethyl-pirimiphos-methyl (0.01)	Omethoate (0.01)	Oxydemeton-methyl (0.02)	Paraoxon-ethyl (0.01)	Paraoxon-methyl (0.01)
Parathion (0.01)	Parathion-methyl (0.01)	Phenkapton (0.02)	Phenthoate (0.01)	Phorate (0.01)	Phorate-sulfone (0.01)
Phorate-sulfoxide (0.01)	Phosalone (0.02)	Phosfolan (0.01)	Phosmet (0.02)	Phosphamidon (0.01)	Piperophos (0.01)
Pirimiphos-ethyl (0.01)	Pirimiphos-methyl (0.01)	Profenofos (0.01)	Propaphos (0.01)	Propetamphos (0.01)	Prothiophos (0.01)
Prothoate (0.01)	Pyraclafos (0.02)	Pyrazophos (0.02)	Pyridaphenthion (0.01)	Pyrimitate (0.01)	Quinalphos (0.01)
Quintiofos (0.01)	Sulfotep (0.01)	Terbufos (0.02)	Terbupirifos (0.01)	TEPP (0.01)	Terbufos (0.01)
Terbufos-sulfone (0.01)	Tetrachlorvinphos (0.01)	Thiometon (0.02)	Thionazin (0.01)	Toiclofos-methyl (0.01)	Triamiphos (0.02)
Triazophos (0.01)	Tribufos (0.01)	Trichlorfon (0.03)	Trichloronat (0.01)	Vamidathion (0.02)	
SP085	ZP	LC-OP (LOQ* mg/kg)			
Cadusaphos (0.001)	Demeton (0.001)	Demeton-S-methyl (0.001)	Demeton-S-methyl-sulfone (0.001)	Disulfoton (0.001)	Disulfoton-sulfon (0.001)
Disulfoton-sulfoxide (0.001)	Ethoprophos (0.001)	Fensulfothion (0.001)	Fensulfothion-oxon-sulfone (0.001)	Fensulfothion-oxon-sulfoxide (0.001)	Fensulfothion-sulfone (0.001)
Omethoate (0.001)	Oxydemeton-methyl (0.001)	Terbufos (0.001)	Terbufos-sulfone (0.001)	Terbufos-sulfoxide (0.001)	
SP931	XP	OUG-QuL-MS/MS (LOQ* mg/kg)			
1-Naphthylacetic acid (0.1)	2,4,5-T (0.01)	2,4-D (0.01)	2,4-DB (0.1)	2,4'-Formoxylidid (Amitraz Metabolite) (0.01)	2,6-Dichlorobenzamide (0.01)
2-Naphthylacetic acid (0.01)	3-Hydroxycarbofuran (0.001)	4-Bromo-2-Chlorophenol (0.01)	4-Bromophenylurea (0.01)	4-CPA (0.01)	6-Benzyladenine (0.01)
Abamectin (0.1)	Acephate (0.01)	Acetamidiprid (0.01)	Acetochlor (0.01)	Acibenzolar-s-methyl (0.01)	Acifluorfen (0.05)
Acinathrin (0.01)	Alanycarb (0.01)	Aldicarb (0.02)	Aldicarb-sulfone (0.01)	Aldicarb-sulfoxide (0.05)	Ametoctradin (0.01)
Aminocarb (0.01)	Amisulbrom (0.01)	Amitraz (0.01)	Anilfos (0.01)	Anthraquinone (0.01)	Atrazin, desisopropyl- (0.01)
Atrazine (0.01)	Azaconazole (0.01)	Azadirachtin (0.05)	Azinphos-methyl (0.01)	Azoxyclofen (0.01)	Azoxystrobin (0.01)
BAC C10 - Benzylidimethyldodecylammonium chloride (0.02)	BAC C18 - Benzylidimethyloctadecylammonium chloride (0.02)	Benalaxyl (0.01)	Bendiocarb (0.01)	Benfuresate (0.02)	Benodanil (0.01)
Benoxacor (0.01)	Bensulide (0.01)	Bentazone (0.01)	Benthiavalcab, isopropyl- (0.01)	Benzethonium Chloride (0.02)	Benzoximate (0.01)
Benzylidimethyldodecylammonium chloride (BAC-C12) (0.02)	Benzylidimethyloctylammonium chloride (BAC C8) (0.02)	Bifenazate (0.01)	Bitertanol (0.01)	Bixafen (0.01)	Boscalid (0.01)
Bromoxynil (0.01)	Bromuconazole, cis- (0.01)	Bromuconazole, trans- (0.01)	BTS 27271 (0.01)	BTS 44595 (0.01)	BTS 44596 (0.01)
Bupirimate (0.01)	Buprofezin (0.01)	Butocarboxim-sulfoxide (0.01)	Buturon (0.01)	Butylate (0.02)	Cadusaphos (0.02)
Carbaryl (0.01)	Carbendazim (0.005)	Carbendazim/Benomyl (sum) (0.005)	Carbetamide (0.01)	Carbofuran (0.001)	Carbosulfan (0.01)
Carboxin (0.01)	Carfentrazone-ethyl (0.01)	Carpropamid (0.01)	Cetalkonium chloride (BAC-C16) (0.02)	Chlorantraniliprole (0.01)	Chlorbromuron (0.01)
Chlorbufam (0.01)	Chlorfluazuron (0.01)	Chloridazone (0.02)	Chlorotoluron (0.01)	Chloroxuron (0.01)	Chlorpropham (0.01)
Chlorpyrifos (-ethyl) (0.01)	Chlorpyrifos-methyl (0.01)	Chromafenozide (0.1)	Cinidon-ethyl (0.01)	Clefoxydim (0.01)	Clethodim (0.01)
Climbazole (0.01)	Clofentazine (0.01)	Clomazone (0.01)	Clomeprop (0.1)	Cloprop (0.01)	Clopyralid (0.1)
Clothianidin (0.01)	Coumaphos (0.01)	Crimidine (0.01)	Cyanofenphos (0.01)	Cyantraniliprole (0.01)	Cyazofamid (0.01)
Cylocate (0.01)	Cyloxydim (0.01)	Cyflumetofen (0.01)	Cyhalofop-butyl (0.05)	Cyhexatin (0.01)	Cymoxanil (0.01)
Cyphenothrin (0.05)	Cyproconazole (0.01)	Cyprodinil (0.01)	Cyromazine (0.05)	Dazomet (0.01)	DDAC C10 - Didcylidimethylammoniumchloride (0.02)
DDAC C12 - Didodecyl dimethyl ammonium chloride (0.02)	DDAC C8 - Dioctylidimethylammonium chloride (0.02)	Demeton-S-methyl (0.02)	Demeton-S-methyl-sulfone (0.01)	Desmedipham (0.01)	Diaphenhiuron (0.01)
Diallate (0.01)	Diazinon (0.01)	Dicamba (0.1)	Dichlofenthion (0.01)	Dichlormid (0.01)	Dichlorprop (0.01)
Dichlorvos (0.02)	Dicrotophos (0.01)	Diethofencarb (0.01)	Diethyltoluamide (0.01)	Difenacoum (0.01)	Difenoconazole (0.01)
Difenoxyuron (0.01)	Diflubenzuron (0.01)	Diffufenican (0.01)	Dimexox (0.01)	Dimetfuron (0.1)	Dimetpiperate (0.01)
Dimethachlor (0.01)	Dimethenamid (0.01)	Dimethoate (0.01)	Dimethomorph (0.01)	Dimetilan (0.01)	Dimoxystrobin (0.01)
Diniconazole (0.01)	Dinocap (0.05)	Dinoseb (0.01)	Dinotefuran (0.05)	Dinoterb (0.01)	Dioxacarb (0.01)
Diphenamid (0.01)	Diphénylamine (0.02)	Disulfoton (0.01)	Disulfoton-sulfon (0.01)	Disulfoton-sulfoxide (0.01)	Diuron (0.01)
Dodemorf (0.01)	Dodine (0.01)	Emamectin (0.01)	EPN (0.01)	Epoxiconazole (0.01)	EPTC (0.01)
Ethiofencarb (0.01)	Ethiofencarb-sulfone (0.01)	Ethiofencarb-sulfoxide (0.01)	Ethion (0.01)	Ethiprole (0.01)	Ethirimol (0.01)
Ethofumesate (0.01)	Ethoprophos (0.01)	Ethoxyquin (0.01)	Ethychlozate (0.01)	Etofenprox (0.01)	Fenamidone (0.01)
Fenamiphos (0.01)	Fenamiphos-sulfone (0.01)	Fenamiphos-sulfoxide (0.01)	Fenarimol (0.01)	Fenazaquin (0.01)	Fenbuconazole (0.01)
Fenbutatin oxide (0.01)	Fenhexamid (0.01)	Fenobucarb (0.01)	Fenoprop (0.01)	Fenoxaprop-P (0.01)	Fenoxycarb (0.01)
Fenpiclonil (0.01)	Fenpropidin (0.01)	Fenpropimorph (0.01)	Fenpyrazamine (0.01)	Fenpyroximate (0.01)	Fensulfithion (0.01)
Fenthion (0.01)	Fenthion-oxon (0.01)	Fenthion-oxon-sulfone (0.01)	Fenthion-oxon-sulfoxide (0.01)	Fenthion-sulfone (0.01)	Fenthion-sulfoxide (0.01)
Fentin (including its salts) (0.01)	Fipronil (0.005)	Fipronil, desulfinyl- (0.01)	Fipronil-sulfide (0.005)	Fipronil-sulfone (0.005)	Flonicamid (0.02)
Fluazifop-P (0.01)	Fluazifop-P-butyl (0.01)	Fluazinam (0.01)	Fluazuron (0.01)	Flubendiamide (0.01)	Flucycloxyuron (0.01)
Fludioxonil (0.01)	Flufenacet (0.01)	Flufenoxuron (0.01)	Flufenzine (0.01)	Fluometuron (0.01)	Fluopicolid (0.01)

Laboratoire Nord (Douai)

Rue Maurice Caullery

ZI Douai Dorignies

F-59500 Douai

FRANCE

Phone +33 3 27 86 95 60

Fax +33 3 27 87 24 67

ServiceClientELN@eurofins.com

www.eurofins.fr

S.A.S. au capital de 510 000 €

RCS DOUAI 523 428 134


SIRET 523 428 134 000 28 - APE 7120 B

TVA FR11 523428134

Sample code Nr. 856-2019-00033365 **Report Date** 23/04/2019 **Page 6/7**
Analytical Report Nr. AR-19-VN-041903-07-EN / 856-2019-00033365

SP931	XP	OUG-QuLC-MS/MS (LOQ* mg/kg)			
Fluopyram (0.01)	Fluoxastrobine (0.01)	Flupyradifurone (0.01)	Flurochloridone (0.01)	Fluroxypyr (0.01)	Fluroxypyr-Methylheptyl (0.01)
Flurprimidol (0.01)	Flurtarmonone (0.01)	Flusilazole (0.01)	Fluthiacet-methyl (0.01)	Flutianil (0.01)	Flutolanil (0.01)
Flutriafol (0.01)	Fluxapyroxad (0.01)	FM-6-1 (0.01)	Fomesafen (0.01)	Forchlorfenuron (0.01)	Formetanate (0.01)
Fosthiazate (0.01)	Fuberidazole (0.01)	Furalaxyl (0.01)	Furametpyr (0.01)	Furathiocarb (0.01)	Haloxypol (0.01)
Heptenophos (0.01)	Hexaconazole (0.01)	Hexaflumuron (0.01)	Hexazinone (0.01)	Hexythiazox (0.01)	Icaridin (0.01)
Imazalil (0.01)	Imazapyr (0.01)	Imazaquin (0.01)	Imazethapyr (0.01)	Imibenconazole (0.01)	Imidacloprid (0.01)
Indaziflam (0.01)	Indoxacarb (0.01)	Iodosulfuron methyl (0.01)	Ioxynil (0.01)	Iprodione (0.01)	Iprovalicarb (0.01)
Isazophos (0.01)	Isofenphos (0.01)	Isopropcarb (0.01)	Isoprotiolane (0.01)	Isoproturon (0.01)	Isoprazam (0.01)
Isouron (0.01)	Isoxaben (0.01)	Isoxaflutole (0.01)	Kresoxim-methyl (0.01)	Lenacil (0.01)	Linuron (0.01)
Lufenuron (0.01)	Malaaxon (0.01)	Malathion (0.01)	Mandipropamid (0.01)	MCPA (0.01)	MCPB (0.01)
Mecoprop (0.01)	Mefenitrufluconazole (0.01)	Mepanipyrim (0.01)	Mesotrione (0.1)	Metalfumizone (0.01)	Metaxyl (0.01)
Metamitron (0.01)	Metconazole (0.01)	Methabenzthiazuron (0.01)	Methaciphos (0.01)	Methamidophos (0.02)	Methidathion (0.02)
Methiocarb (0.01)	Methiocarb-sulfone (0.01)	Methiocarb-sulfoxide (0.01)	Methylomyl (0.01)	Methoxyfenozide (0.01)	Metobromuron (0.01)
Metolachlor (0.01)	Metolcarb (0.01)	Metosulam (0.01)	Metoxuron (0.01)	Metribuzin (0.01)	Milbectin A3 (0.1)
Milbectin A4 (0.1)	Miristalkonium chloride (BAC-C14) (0.02)	Molinate (0.01)	Monocrotophos (0.01)	Monolinuron (0.01)	Monuron (0.01)
Myclobutanil (0.01)	Naphthalene Acetamide (0.01)	Napropamide (0.01)	Neburon (0.01)	Nicosulfuron (0.01)	Nitenpyram (0.1)
Novaluron (0.01)	Noviflumuron (0.01)	Nuarimol (0.01)	Ofurace (0.01)	Omethoate (0.01)	Oryastrobin (0.01)
Oryzalin (0.01)	Oxadiazon (0.01)	Oxadixyl (0.01)	Oxamyl (0.01)	Oxamyl-xime (0.01)	Oxaziclonmefone (0.01)
Oxfendazole (0.01)	Oxycarboxin (0.01)	Oxydemeton-methyl (0.02)	Paclobutrazol (0.01)	Paraoxon-ethyl (0.01)	Paraoxon-methyl (0.01)
Parathion-methyl (0.05)	Pebutate (0.01)	Penconazole (0.01)	Pencycuron (0.01)	Pendimethalin (0.01)	Penflufen (0.01)
Penoxsulam (0.01)	Pentachlorophenol (0.01)	Pentanochlor (0.01)	Penthiopyrad (0.01)	Pethoxamid (0.01)	Phenmedipham (0.01)
Phenthoate (0.01)	Phorate (0.01)	Phorate-sulfone (0.01)	Phorate-sulfoxide (0.01)	Phosalone (0.01)	Phosmet (0.01)
Phosmet-oxon (0.01)	Phosphamidon (0.01)	Phoxim (0.01)	Picloram (0.01)	Piperonyl butoxide (0.01)	Piperonyl butoxide (0.01)
Pirimicarb (0.01)	Pirimicarb, desmethyl- (0.01)	Pirimicarb, desmethyl-formamido- (0.01)	Pirimiphos-methyl (0.01)	Prochloraz (0.01)	Procymidone (0.01)
Profenofos (0.01)	Promecarb (0.01)	Prometon (0.01)	Propamocarb (0.01)	Propanil (0.01)	Propaquizafop (0.01)
Propargite (0.01)	Propham (0.01)	Propiconazole (0.01)	Propoxur (0.01)	Propoxycarbazon-2-hydroxy (0.01)	Propoxycarbazon (0.01)
Proprazine (0.01)	Proquinazid (0.02)	Prosulfocarb (0.01)	Prothioconazole (0.01)	Prothioconazole-desthio (0.01)	Pymetrozine (0.01)
Pyraclostrobin (0.01)	Pyraflufen, desethyl- (0.01)	Pyraflufen-ethyl (0.01)	Pyrasulfotole (0.01)	Pyrethrins (0.1)	Pyridaben (0.01)
Pyridate (0.01)	Pyriquinazon (0.01)	Pyrimethanil (0.01)	Pyrimidifen (0.01)	Pyrifenone (0.01)	Pyriproxyfen (0.01)
Pyroxulam (0.01)	Quinlorac (0.01)	Quinmerac (0.01)	Quinoclamine (0.01)	Quinoxifen (0.01)	Quizalofop (0.01)
Quizalofop-P-ethyl (0.01)	Quizalofop-P-tefuryl (0.01)	Resmethrin (0.01)	Rimsulfuron (0.01)	Rotenone (0.01)	Saflufenacil (0.01)
Sedaxane, cis- (0.01)	Sedaxane, trans- (0.01)	Sethoxydim (0.01)	Simazine (0.01)	Simeconazole (0.01)	Simetryn (0.01)
Spinetoram (0.01)	Spinosad (0.01)	Spirodiclofen (0.01)	Spiromesifen (0.05)	Spirotetramat (0.01)	Spirotetramat-enol (0.01)
Spirotetramat-enolglucoside (0.02)	Spirotetramat-ketohydroxy (0.01)	Spirotetramat-monohydroxy (0.01)	Spiroxamine (0.01)	Sulcotrione (0.05)	Sulfentrazone (0.01)
Sulfotep (0.01)	Sulfoxaflor (0.01)	Sulprofos-sulfoxide (0.01)	Tebuconazole (0.01)	Tebufenozide (0.01)	Tebufenpyrad (0.01)
Teflubenzuron (0.01)	Tepraloxym (0.01)	Terbacil (0.01)	Terbufos (0.01)	Terbufos-sulfone (0.01)	Terbufos-sulfoxide (0.01)
Terbumeton (0.01)	Terbutylazine (0.01)	Tetraconazole (0.01)	TFNA (0.02)	TFNG (0.02)	Thiabendazole (0.01)
Thiacloprid (0.01)	Thiamethoxam (0.01)	Thiobencarb (0.01)	Thiocyclam (0.02)	Thiodicarb (0.01)	Thiofanox (0.02)
Thiofanox-sulfone (0.01)	Thiofanox-sulfoxide (0.01)	Thiophanate-methyl (0.005)	Tolclofos-methyl (0.01)	Tolclofos-methyl (0.01)	Tralkoxydim (0.01)
Triadimefon (0.01)	Triadimenol (0.01)	Triasulfuron (0.01)	Triazophos (0.01)	Tolclofos-methyl (0.01)	Triclopyr (0.01)
Tricyclazole (0.01)	Tridemorph (0.01)	Trifloxystrobin (0.01)	Trifluzole (0.01)	Trifluzole (0.01)	Triflurosulfuron-methyl (0.01)
Triflorine (0.01)	Trimethacarb, 3,4,5- (0.01)	Trinexapac-ethyl (0.02)	Triticonazole (0.01)	Valifenalate (0.01)	Vamidothion (0.01)
Vamidothion-sulfone (0.01)	Vamidothion-sulfoxide (0.01)	XMC (0.01)	Xylycarb (0.01)	Zoxamide (0.01)	
SPGP6	ZP	BFD-Phenoxy (LOQ* mg/kg)			
1-Naphthylacetic acid (total, after hydrolysis) (0.005)	2,4,5-T (total, after hydrolysis) (0.01)	2,4-D (total, after hydrolysis) (0.005)	2,4-DB (total, after hydrolysis) (0.005)	2-Naphthylacetic acid (total, after hydrolysis) (0.005)	4-CPA (total, after hydrolysis) (0.005)
Benazolin (total, after hydrolysis) (0.01)	Bentazone (total, after hydrolysis) (0.005)	Bromoxynil (total, after hydrolysis) (0.005)	Chloramben (total, after hydrolysis) (0.01)	Ciodinafop (total, after hydrolysis) (0.01)	Cioprop (total, after hydrolysis) (0.01)
Clopyralid (total, after hydrolysis) (0.01)	Cyclanilide (total, after hydrolysis) (0.02)	Dicamba (total, after hydrolysis) (0.005)	Dichlorprop (total, after hydrolysis) (0.005)	Diclofop (total, after hydrolysis) (0.01)	Fenoprop (total, after hydrolysis) (0.005)
Flazifop (total, after hydrolysis) (0.005)	Fluroxypyr (total, after hydrolysis) (0.005)	Haloxypol (total, after hydrolysis) (0.003)	Ioxynil (total, after hydrolysis) (0.005)	MCPA (total, after hydrolysis) (0.005)	MCPB (total, after hydrolysis) (0.005)
Mecoprop (total, after hydrolysis) (0.005)	Picloram (total, after hydrolysis) (0.01)	Quinlorac (total, after hydrolysis) (0.005)	Quinmerac (total, after hydrolysis) (0.01)	Quizalofop (total, after hydrolysis) (0.02)	Triclopyr (total, after hydrolysis) (0.01)
SPGT1	ZP	BFD-Zinn (LOQ* mg/kg)			
Cyhexatin (0.01)	(a) Cyhexatin (0.01)	Fenbutatin oxide (0.01)	(a) Fenbutatin oxide (0.01)	Fentin (including its salts) (0.003)	(a) Fentin (including its salts) (0.003)

SIGNATURE



Florent Debruyne
 Analytical Service Manager

Report electronically validated by Florent Debruyne

Sample code Nr.	856-2019-00033365	Report Date	23/04/2019	Page 7/7
Analytical Report Nr.	AR-19-VN-041903-07-EN / 856-2019-00033365			

EXPLANATORY NOTE

This document can only be reproduced in full ; it only concerns the submitted sample.

Results have been obtained and reported in accordance with our general sales conditions available on request.

When declaring compliance or non-compliance, the uncertainty associated with the result has been added or subtracted in order to obtain a result that can be compared to regulatory limits or specifications. The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The tests are identified by a five-digit code, their description is available on request.

The tests identified by the two letters code ZP are performed in laboratory Eurofins Dr . Specht Laboratorien 11 (Hamburg). The symbol (a) identifies the tests under accreditation DIN EN ISO/IEC 17025:2005 D-PL-14198-01-00.

The tests identified by the two letters code SF are performed in laboratory Eurofins SOFIA Berlin (Rudower Chaussee). The symbol (a) identifies the tests under accreditation DIN EN ISO/IEC 17025:2005 DAKKS D-PL-19579-02-00.

The tests identified by the two letters code XP are performed in laboratory Eurofins Dr. Specht Laboratorien 10 (Hamburg).